


A woman with blonde hair, wearing a yellow cable-knit sweater, is holding a baby. The baby is wearing a white knitted bonnet with a bow and a matching white knitted dress with a ruffled hem. The baby is looking up at the woman. The background is dark and out of focus.

Patons

BOOK No.

754

BABY BUSINESS

Two layettes, including coats,
jackets, dresses, booties,
bonnets and mitts. Also
a romper suit and
pram cover in

**BABY YARNS
and MOHAIR**





Knit these styles as lovely presents for lucky babies

Either layette would make a wonderful present, but a baby (and its Mum) would appreciate any part of them. A coat, jacket or dress, a set of bonnet, booties and mitts or just the little vest — each makes an ideal present. The romper suit can be worn as separates with a variety of pants or tops. The snug Pram Cover is knitted in Patons Mohair for lightweight warmth and a pretty, soft finish.

These garments have been specially designed for the **PATONS BABY YARNS** specified and, for perfect results, only these Yarns should be used.

Knit it with Patons and you'll be proud of it.

Patons 3-Ply Baby Wool has qualified for the pure new wool symbol of the Australian Wool Board. The symbol guarantees that Patons 3-Ply Baby Wool is pure new



wool and that it meets performance standards set by the Wool Board.

The Lady's Frock on the Front Cover is No. 7195 (from Patons Book No. 719) and the one on the Back Cover is No. 7173 (from Patons Book No. 717).

➡ **CHECK THE DYE-LOTS** — Always buy enough yarn to complete your garment, and be sure it comes from the same dye-lot. Slight variations between dye-lots are unavoidable. So **CHECK** the dye-lot numbers. It pays.

➡ **SUCCESSFUL RESULTS DEPEND ON CORRECT TENSION** — Before you start knitting, take the yarn and needles specified in the instructions, cast on 20 stitches, work 20 rows in plain smooth fabric. **Lightly** press work. Check the tension by placing an inch tape across the stitches. Count the exact number of stitches to 2 ins. and compare with the tension given in the instructions. If your tension is too loose, try a size finer needle. If it's too tight, try a size larger needle. If more than one size of needle is recommended in the knitting instructions and you have altered your needles to correct the tension, corresponding alterations must be made to needles throughout the instructions.

ABBREVIATIONS: **K.** = Knit. **P.** = Purl. **sts.** = stitches. **tog.** = together. **alt.** = alternate. **p.s.s.o.** = pass slip stitch over. **ins.** = inches. **rep.** = repeat. **Garter Stitch** = every row knit. **inc.** = increase. **patt.** = pattern. **t.b.l.** = through back of loop. **beg.** = beginning. **dec.** = decrease. **incl.** = inclusive. **y.fwd.** = yarn forward. **y.r.n.** = yarn round needle. **y.o.n.** = yarn over needle. **ch.** = chain. **s.p.** = space. **s.c.** = single crochet. **d.c.** = double crochet. **tr.** = treble. **sl.st.** = slip stitch. **h. tr.** = half treble. **l. tr.** = long treble (yarn over hook twice).

When instructions read: "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.



THE FRONT COVER LAYETTE—7541

This layette is knitted in all-over twisted loop stitch with crochet picot trimming. The coat and jacket are double breasted. In any of Patons 3-Ply Baby Yarns. One size only.

Instructions commence on next page

Layette—7541

This Layette comprises Carrying Coat, Matinee Jacket, Frock, Bonnet, Bootees and Mittens.

PATONS 3-Ply BABY YARNS

● These instructions are written for **PATONS BABY ORLON**. For pure **PATONS 3-Ply BABY WOOL** or **PATONS BABY WOOL WITH BRI-NYLON, 3-Ply**, use 1 size larger needle. For **PATONS FEATHERSOFT BABY NYLON**, use a needle 2 sizes larger than for **PATONS BABY ORLON**.

Knit it with Patons and you'll be proud of it.

The Layette 17 balls
Quantities and measurements for individual garments are given throughout instructions.

NEEDLES—

Patons Beehive Knitting Needles—

Loose Knitters 1 pair No. 12 (12 inch)
Average Knitters 1 pair No. 11 (12 inch)
Tight Knitters 1 pair No. 10 (12 inch)

Needle size in instructions is that for Average Knitters.

Needle size depends upon your tension, which should be 8 stitches to 1 inch in width, measured over plain smooth fabric. Check tension—see page 2.

Phantom Crochet Hook, No. 12.

ABBREVIATIONS: See page 2. Y.B. = Yarn Back, Y.F. = Yarn Front.

THE CARRYING COAT—7541



19 inch
underarm . . 5 balls
Length from top of
shoulder . . 16 ins.
Length of sleeve
seam 6 ins.
Six Small Buttons.

NOTE: The Coat is worked in one piece to underarm.

Using No. 11 Needles, cast on 401 stitches loosely.

**** 1st row.**—K.4, * P.1, Y.B., taking front loop slip 1 knitways, Y.F., P.1, K.3, rep. from * to last st., K.1.

2nd row.—K.1, * P.3, K.1, Y.F., taking front loop slip 1 purlways, Y.B., K.1, rep. from * to last 4 sts., P.3, K.1.

3rd row.—As 1st row.

4th row.—As 2nd row.

5th row.—K.1, * P.1, Y.B., taking front loop slip 1 knitways, Y.F., P.1, K.3, rep. from * to last 4 sts., P.1, Y.B., taking front loop slip 1 knitways, Y.F., P.1, K.1.



This enlarged photo shows the detail of the pattern in this Layette

6th row.—K.2, Y.F., taking front loop slip 1 purlways, Y.B., K.1, * P.3, K.1, Y.F., taking front loop slip 1 purlways, Y.B., K.1, rep. from * to last st., K.1.

7th row.—As 5th row.

8th row.—As 6th row. **

Rep. from ** to ** until work measures 11½ ins. from commencement, finishing with an 8th patt. row.

**** Proceed as follows:—

1st row.—K.4, (P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3) three times, P.1, K.2, * K.2 tog., rep. from * to last 24 sts., K.1, P.1, (K.3, P.1, Y.B., slip 1 knitways, Y.F., P.1) three times, K.4. (225 sts.)

2nd row.—K.1, (P.3, K.1, Y.F., slip 1 purlways, Y.B., K.1) three times, P.3, K.1, purl to last 23 sts., K.1, (P.3, K.1, Y.F., slip 1 purlways, Y.B., K.1) three times, P.3, K.1.

3rd row.—K.2, y.fwd., K.2 tog. (for buttonhole), (P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3) twice, P.1, Y.B., slip 1 knitways, Y.F., P.1, K.1, y.fwd., K.2 tog. (for buttonhole), P.1, knit to last 23 sts., P.1, (K.3, P.1, Y.B., slip 1 knitways, Y.F., P.1) three times, K.4.

4th row.—K.1, (P.3, K.1, Y.F., slip 1 purlways, Y.B., K.1) three times, P.3, K.1, P.33, cast off 12 sts., P.89, cast off 12 sts., P.33, K.1, (P.3, K.1, Y.F., slip 1 purlways, Y.B., K.1) three times, P.3, K.1.

THE RIGHT FRONT—Continue on last 56 sts. as follows:—

1st row.—K.1, * P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3, rep. from * to last 7 sts., P.1, Y.B., slip 1 knitways, Y.F., P.1, K.1, K.2 tog., K.1.

2nd row.—K.1, P.2, * K.1, Y.F., slip 1 purlways, Y.B., K.1, P.3, rep. from * to last 4 sts., K.1, Y.F., slip 1 purlways, Y.B., K.2.

3rd row.—K.1, * P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3, rep. from * to last 6 sts., P.1, Y.B., slip 1 knitways, Y.F., P.1, K.2 tog., K.1.

4th row.—K.1, P.1, * K.1, Y.F., slip 1 purlways, Y.B., K.1, P.3, rep. from * to last 4 sts., K.1, Y.F., slip 1 purlways, Y.B., K.2.

5th row.—K.4, * P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3, rep. from * to last 8 sts., P.1, Y.B., slip 1 knitways, Y.F., P.1, K.2, K.2 tog., K.1.

6th row.—K.1, * P.3, K.1, Y.F., slip 1 purlways, Y.B., K.1, rep. from * to last 4 sts., P.3, K.1.

7th row.—K.4, * P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3, rep. from * to last 7 sts., P.1, Y.B., slip 1 knitways, Y.F., P.1, K.1, K.2 tog., K.1.

8th row.—K.1, P.2, * K.1, Y.F., slip 1 purlways, Y.B., K.1, P.3, rep. from * to last st., K.1.

Keeping continuity of patt., dec. once at end of needle (one st. in from edge as before) in next and every alt. row until 40 sts. remain, whilst at same time working a set of buttonholes as before in every 16th row from previous buttonhole twice (3 sets of buttonholes in all).

Work 1 row without shaping.

Shape neck as follows:—

Next row.—Cast off 21 sts., patt. to last 3 sts., K.2 tog., K.1.

Dec. once at neck edge in every alt. row six times, whilst at same time dec. once at armhole edge (as before) in every alt. row six times. (6 sts.)

Proceed as follows:—

1st row.—K.1, P.2 tog., patt. 3.

2nd row.—Patt. 2, K.2 tog., K.1.

3rd row.—K.1, P.2 tog., K.1.

4th row.—K.2 tog., K.1.

5th row.—P.2 tog. Fasten off.

THE BACK—Rejoin yarn to next 89 sts. and proceed as follows:—

***** 1st row.**—K.1, slip 1 knitways, K.1, p.s.s.o., K.1, * P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3, rep. from * to last 7 sts., P.1, Y.B., slip 1 knitways, Y.F., P.1, K.1, K.2 tog., K.1.

2nd row.—K.1, P.2, * K.1, Y.F., slip 1 purlways, Y.B., K.1, P.3, rep. from * to last 6 sts., K.1, Y.F., slip 1 purlways, Y.B., K.1, P.2, K.1.

3rd row.—K.1, slip 1 knitways, K.1, p.s.s.o., * P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3, rep. from * to last 6 sts., P.1, Y.B., slip 1 knitways, Y.F., P.1, K.2 tog., K.1.

4th row.—K.1, P.1, * K.1, Y.F., slip 1 purlways, Y.B., K.1, P.3, rep. from * to last 5 sts., K.1, Y.F., slip 1 purlways, Y.B., K.1, P.1, K.1.

5th row.—K.1, slip 1 knitways, K.1, p.s.s.o., K.2, * P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3, rep. from * to last 8 sts., P.1, Y.B., slip 1 knitways, Y.F., P.1, K.2, K.2 tog., K.1.

6th row.—K.1, * P.3, K.1, Y.F., slip 1 purlways, Y.B., K.1, rep. from * to last 4 sts., P.3, K.1.

7th row.—As 1st row.

8th row.—As 2nd row. ***

Keeping continuity of patt., dec. once at each end of needle (one st. in from edge as before) in next and every alt. row until 43 sts. remain.

Proceed as follows:—

1st row.—K.1, P.2 tog., patt. to last 3 sts., P.2 tog.t.b.l., K.1.

2nd row.—K.1, slip 1 knitways, K.1, p.s.s.o., patt. to last 3 sts., K.2 tog., K.1.

Rep. 1st and 2nd rows once, then 1st row once. (33 sts.)

Cast off.

THE LEFT FRONT—Rejoin yarn to remaining 56 sts. and proceed as follows:—

1st row.—K.1, slip 1 knitways, K.1, p.s.s.o., K.1, * P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3, rep. from * to last 4 sts., P.1, Y.B., slip 1 knitways, Y.F., P.1, K.1.

2nd row.—K.2, Y.F., slip 1 purlways, Y.B., K.1, * P.3, K.1, Y.F., slip 1 purlways, Y.B., K.1, rep. from * to last 3 sts., P.2, K.1.

3rd row.—K.1, slip 1 knitways, K.1, p.s.s.o., * P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3, rep. from * to last 4 sts., P.1, Y.B., slip 1 knitways, Y.F., P.1, K.1.

4th row.—K.2, Y.F., slip 1 purlways, Y.B., K.1, * P.3, K.1, Y.F., slip 1 purlways, Y.B., K.1, rep. from * to last 2 sts., P.1, K.1.

5th row.—K.1, slip 1 knitways, K.1, p.s.s.o., K.2, * P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3, rep. from * to last st., K.1.

6th row.—K.1, * P.3, K.1, Y.F., slip 1 purlways, Y.B., K.1, rep. from * to last 4 sts., P.3, K.1.

7th row.—K.1, slip 1 knitways, K.1, p.s.s.o., K.1, * P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3, rep. from * to last st., K.1.

8th row.—K.1, * P.3, K.1, Y.F., slip 1 purlways, Y.B., K.1, rep. from * to last 3 sts., P.2, K.1.

Keeping continuity of patt., complete to correspond with Right Front, omitting buttonholes and working "P.2 tog.t.b.l." in place of "P.2 tog." at top. ****

THE SLEEVES—Using No. 11 Needles, cast on 53 stitches loosely.

Work as given from ** to ** for Body once.

Keeping continuity of patt., inc. once at each end of needle in next and every following 6th row until there are 73 sts. on needle, then in every following 4th row until there are 77 sts. on needle.

Work 1 row without shaping, thus finishing at end of an 8th patt. row.

** Shape top as follows:—

1st and 2nd rows.—Cast off 6 sts., work to end of row.

3rd row.—K.1, slip 1 knitways, K.1, p.s.s.o., K.1, * P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3, rep. from * to last 7 sts., P.1, Y.B., slip 1 knitways, Y.F., P.1, K.1, K.2 tog., K.1.

4th row.—K.1, P.2, * K.1, Y.F., slip 1 purlways, Y.B., K.1, P.3, rep. from * to last 6 sts., K.1, Y.F., slip 1 purlways, Y.B., K.1, P.2, K.1.

5th row.—K.1, slip 1 knitways, K.1, p.s.s.o., * K.3, P.1, Y.B., slip 1 knitways, Y.F., P.1, rep. from * to last 6 sts., K.3, K.2 tog., K.1.

6th row.—K.1, P.4, K.1, Y.F., slip 1 purlways, Y.B., K.1, * P.3, K.1, Y.F., slip 1 purlways, Y.B., K.1, rep. from * to last 5 sts., P.4, K.1.

7th row.—K.1, slip 1 knitways, K.1, p.s.s.o., K.2, * P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3, rep. from * to last 8 sts., P.1, Y.B., slip 1 knitways, Y.F., P.1, K.2, K.2 tog., K.1.

8th row.—K.1, P.3, * K.1, Y.F., slip 1 purlways, Y.B., K.1, P.3, rep. from * to last st., K.1.

[Continued on next page

9th row.—K.1, slip 1 knitways, K.1, p.s.s.o., P.1, * K.3, P.1, Y.B., slip 1 knitways, Y.F., P.1, rep. from * to last 7 sts., K.3, P.1, K.2 tog., K.1.

10th row.—K.1, P.1, K.1, P.3, * K.1, Y.F., slip 1 purlways, Y.B., K.1, P.3, rep. from * to last 3 sts., K.1, P.1, K.1.

Keeping continuity of patt., dec. once at each end of needle (one st. in from edge as before) in next and every alt. row until 19 sts. remain.

Proceed as follows:—

1st row. — K.1, P.2 tog., patt. to last 3 sts., P.2 tog.t.b.l., K.1.

2nd row.—K.1, slip 1 knitways, K.1, p.s.s.o., patt. to last 3 sts., K.2 tog., K.1.

Rep. 1st and 2nd rows once, then 1st row once. (9 sts.)

Cast off. **

Work another Sleeve in same manner.

THE COLLAR—Using No. 11 Needles, cast on 101 stitches loosely.

Work as given from ** to ** for Body twice.


Next row.—* K.2, K.2 tog., rep. from * to last st., K.1. (76 sts.)

Work 6 rows in plain smooth fabric (commencing with a purl row), casting off 7 sts. at beg. of every row.

Cast off remaining sts.

TO MAKE UP—DO NOT PRESS ORLON. Using a flat seam throughout, sew up sleeve seams. Sew in sleeves, placing seams to centre of underarm shaping and noting that tops of sleeves form part of neckline. Sew collar in position, commencing and finishing 11 sts. in from front edges. Using Crochet Hook, work a picot edge round edges of coat, collar and sleeves as follows: * 3 d.c., 4 ch., sl. st. in first ch. to form picot, rep. from * to end. Sew on buttons to correspond with buttonholes.

THE MATINEE JACKET—7541



19 inch underarm . . 5 balls

Length from top of shoulder . . 10½ ins.

Length of sleeve seam . . . 6 ins.

Six Small Buttons.

NOTE—The Jacket is worked in one piece to underarm.

Using No. 11 Needles, cast on 401 stitches loosely. Work as given from ** to ** for Body of Carrying Coat until work measures 6 ins. from commencement, finishing with an 8th patt. row.


Work as given from **** to **** for Carrying Coat.

THE SLEEVES — Work as given for Sleeves of Carrying Coat.

TO MAKE UP—As given for Carrying Coat, omitting collar.

Work picot edge all round neck as well as edges of jacket and sleeves.

THE FROCK—7541



18 inch under-arm . . . 5 balls

Length from top of shoulder, 15½ ins.

Length of sleeve seam . . 1¼ ins.

Three Small Buttons.

THE FRONT—Using No. 11 Needles, cast on 185 stitches loosely.

Work as given from ** to ** for Body of Carrying Coat until work measures 11½ ins. from commencement, finishing with an 8th patt. row.

Proceed as follows:—

1st row.—K.3, * K.2 tog., rep. from * to last 2 sts., K.2. (95 sts.)

2nd row.—K.1, purl to last st., K.1.

3rd row.—Cast off 6 sts., knit to end of row.

4th row.—Cast off 6 sts., purl to last st., K.1.

Work as given from *** to *** for Back of Carrying Coat once. ****

Keeping continuity of patt., dec. once at each end of needle (one st. in from edge as before) in next and every alt. row until 57 sts. remain.

Work 1 row without shaping.

Shape neck as follows:—

Next row.—K.1, slip 1 knitways, K.1, p.s.s.o., patt. 16, cast off 19 sts., patt. 16, K.2 tog., K.1.

Continue on last 18 sts., dec. once at neck edge in every alt. row six times, whilst at same time dec. once at armhole edge (as before) in every alt. row six times. (6 sts.)

Proceed as follows:—

1st row.—K.1, P.2 tog., patt. 3.

2nd row.—Patt. 2, K.2 tog., K.1.

3rd row.—K.1, P.2 tog., K.1.

4th row.—K.2 tog., K.1.

5th row.—P.2 tog. Fasten off.

Join in yarn at neck edge and work on remaining sts. to correspond with other side, working "P.2 tog.t.b.l." in place of "P.2 tog." at top.

THE BACK—Work as given for Front to ****. (75 sts.) Keeping continuity of patt., divide for back opening as follows:—

1st row.—K.1, slip 1 knitways, K.1, p.s.s.o., patt. 32, K.5, turn.

Continue on these 39 sts.

2nd row.—K.5, patt. to last 2 sts., P.1, K.1.

3rd row.—K.1, slip 1 knitways, K.1, p.s.s.o., patt. to last 5 sts., K.5.

Rep. 2nd and 3rd rows three times, then 2nd row once.

11th row.—K.1, slip 1 knitways, K.1, p.s.s.o., patt. to last 5 sts., K.2, y.fwd., K.2 tog. (for buttonhole), K.1.

Rep. 2nd and 3rd rows five times, 2nd row once, 11th row once, then 2nd and 3rd rows four times. (24 sts.)

32nd and 34th rows. — K.5, patt. to last 3 sts., P.2 tog.t.b.l., K.1.

33rd row.—As 3rd row.

35th row.—As 11th row.

36th row.—As 32nd row.

Cast off.

Join in yarn at centre back, cast on 5 sts. for underlap and work to correspond with other side, omitting buttonholes and working "P.2 tog." in place of "P.2 tog.t.b.l." at top.

THE SLEEVES—Using No. 11 Needles, cast on 48 stitches.

1st row.—Knit.

2nd row.—K.1, purl to last st., K.1.

3rd row.—* K.1, inc. once in next st., rep. from * to last 2 sts., K.2. (71 sts.)

4th row.—As 2nd row.

Work as given from ** to ** for Body of Carrying Coat once.

Work as given from ** to ** for Sleeves of Carrying Coat.

Work another Sleeve in same manner.

TO MAKE UP—DO NOT PRESS ORLON. Using a flat seam throughout, sew sleeves to front and back, noting that tops of sleeves form part of neckline. Sew up side and sleeve seams. Sew underlap in position. Using Crochet Hook, work picot edge as given for Carrying Coat all round neck edge and lower edges of frock and sleeves. Sew on buttons to correspond with buttonholes.

THE BONNET—7541



Width all round face,
11 ins. . . . 1 ball

Length of ribbon.

Using No. 10 Needles,
cast on 119 stitches
loosely.

Work as given from ** to ** for Body of Carrying Coat five times, then 1st and 2nd rows once, inc. once at end of needle in last row. (120 sts.)

Tie a coloured thread at each end of work.

Keeping continuity of patt., proceed as follows:—

1st row.—K.1, patt. 8, (K.2 tog., patt. 10) nine times, K.2 tog., K.1.

2nd row.—K.1, (P.1, patt. 10) nine times, P.1, patt. 8, K.1.

3rd row.—K.1, patt. 7, (K.2 tog., patt. 9) nine times, K.2 tog., K.1.

4th row.—K.1, (P.1, patt. 9) nine times, P.1, patt. 7, K.1.

5th row.—K.1, patt. 6, (K.2 tog., patt. 8) nine times, K.2 tog., K.1.

6th row.—K.1, (P.1, patt. 8) nine times, P.1, patt. 6, K.1.

Continue dec. in this manner in next and every alt. row until 20 sts. remain.

Break off yarn, run end through remaining sts., draw up and fasten off securely.

TO MAKE UP—DO NOT PRESS ORLON. Using a flat seam, sew up back seam to coloured threads. Using Crochet Hook, work a picot edge as given for Carrying Coat all round edge of bonnet. Sew ribbon in position.


THE BOOTEES—7541

Length of foot,

3½ ins. . . . 1 ball

Using No. 11 Needles,
cast on 47 stitches
loosely.

Work as given from
** to ** for Body of
Carrying Coat three
times.



25th row.—* K.5, K.2 tog., rep. from * to last 5 sts., K.5. (41 sts.)

26th row.—K.1, purl to last st., K.1.

27th row.—* K.2, y.fwd., K.2 tog., rep. from * to last st., K.1.

28th row.—As 26th row.

29th row.—K.1, * P.1, Y.B., slip 1 knitways, Y.F., P.1, K.3, rep. from * to last 4 sts., P.1, Y.B., slip 1 knitways, Y.F., P.1, K.1 (5th row of patt.).

30th row.—K.2, Y.F., slip 1 purlways, Y.B., K.1, * P.3, K.1, Y.F., slip 1 purlways, Y.B., K.1, rep. from * to last st., K.1 (6th row of patt.).

[Continued on next page]

31st row.—Patt. 29, turn.

32nd row.—Patt. 17, turn.

Work 18 rows in patt. on these 17 sts.

Break off yarn.

With right side of work facing, join in yarn and knit up 15 sts. evenly along side of instep, work in patt. across 17 instep sts., knit up 15 sts. evenly along other side of instep, then work in patt. to end of row. (71 sts.)

Next row.—As 30th row.

Work as given from ** to ** for Body of Carrying Coat once, then 1st and 2nd rows once.

Keeping continuity of patt., proceed as follows:—

1st row.—K.1, slip 1 knitways, K.1, p.s.s.o., patt. 29, K.2 tog., patt. 3, slip 1 knitways, K.1, p.s.s.o., patt. 29, K.2 tog., K.1.

2nd row.—K.1, P.1, patt. 29, P.1, patt. 3, P.1, patt. 29, P.1, K.1.

3rd row.—K.1, slip 1 knitways, K.1, p.s.s.o., patt. 27, K.2 tog., patt. 3, slip 1 knitways, K.1, p.s.s.o., patt. 27, K.2 tog., K.1.

4th row.—K.1, P.1, patt. 27, P.1, patt. 3, P.1, patt. 27, P.1, K.1.

5th row.—K.1, slip 1 knitways, K.1, p.s.s.o., patt. 25, K.2 tog., patt. 3, slip 1 knitways, K.1, p.s.s.o., patt. 25, K.2 tog., K.1.

6th row.—K.1, P.1, patt. 25, P.1, patt. 3, P.1, patt. 25, P.1, K.1.

7th row.—K.1, slip 1 knitways, K.1, p.s.s.o., K.23, K.2 tog., slip 1 knitways, K.2 tog., p.s.s.o., slip 1 knitways, K.1, p.s.s.o., K.23, K.2 tog., K.1.

Cast off.

Work another Bootee in same manner.

TO MAKE UP—DO NOT PRESS ORLON. Using a flat seam, sew up back and foot seams. Using Crochet Hook, work a picot edge as given for Carrying Coat round tops of Bootees. Using yarn double, crochet 2 lengths of chain 15 ins. long and thread through holes at ankles. Make small tassels and attach to ends of chain.

PRAM COVER—7542 *(Continued from page 9)*

With right side of work facing, using No. 9 Needles and M., knit up 122 stitches evenly along side edge of pram cover and proceed as follows:—

1st row.—Purl.

2nd row.—Inc. once in first st., knit to last st., inc. once in last st.

Rep. 1st and 2nd rows five times, then 1st row once. (134 sts.)

THE MITTENS—7541



Quantity . . . 1 ball

Using No. 11 Needles, cast on 47 stitches loosely.

Work as given from ** to ** for Body of Carrying Coat once, then rows 1 to 4 incl. once.

13th row.—* K.5, K.2 tog., rep. from * to last 5 sts., K.5. (41 sts.)

14th row.—K.1, purl to last st., K.1.

15th row.—* K.2, y.fwd., K.2 tog., rep. from * to last st., K.1.

16th row.—As 14th row.

Work as given from ** to ** for Body of Carrying Coat four times, then 1st and 2nd rows once, inc. once at end of needle in last row.

Keeping continuity of patt., shape top as follows:—

1st row.—K.1, patt. 2, (K.2 tog., patt. 4) six times, K.2 tog., K.1.

2nd row.—K.1, (P.1, patt. 4) six times, P.1, patt. 2, K.1.

3rd row.—K.1, patt. 1, (K.2 tog., patt. 3) six times, K.2 tog., K.1.

4th row.—K.1, (P.1, patt. 3) six times, P.1, patt. 1, K.1.

5th row.—K.1, (K.2 tog., patt. 2) six times, K.2 tog., K.1.

6th row.—K.1, (P.1, patt. 2) six times, P.1, K.1.

7th row.—(K.2 tog., K.1) seven times.

Break off yarn, run end through remaining sts., draw up and fasten off securely.

Work another Mitten in same manner.

TO MAKE UP—DO NOT PRESS ORLON. Using a flat seam, sew up seam. Using Crochet Hook, work a picot edge as given for Carrying Coat round cuffs of mittens. Using yarn double, crochet 2 lengths of chain 15 ins. long and thread through holes at wrists. Make small tassels and attach to ends of chain.

10th row.—K.2 tog., knit to last 2 sts., K.2 tog.

11th row.—Purl.

Rep. 10th and 11th rows five times. (122 sts.)

Cast off.

Work other Side in same manner.

TO MAKE UP—Using a flat seam, join mitred corners. Turn under 12 rows all round pram cover and slip-stitch in position on wrong side to form hems. Finally, steam all seams and hems.

The appearance of your knitted pram cover can be enhanced by a light brushing.



A pretty present for baby is this Mohair Pram Cover. It is knitted in honeycomb stitch in two colours with a one colour, plain smooth fabric hem. One size.

Pram Cover—7542

PATONS MOHAIR

● This Pram Cover has been specially designed for **PATONS MOHAIR**, and, for perfect results, only **PATONS MOHAIR** should be used. Knit it with Patons and you'll be proud of it.

Main Colour 5 balls
Contrasting Colour . . 3 balls

Length, 24 inches. Width, 19 inches.

NEEDLES—

Patons Beehive Knitting Needles—

Loose Knitters:

1 pair each Nos. 8 and 10 (12 inch)

Average Knitters:

1 pair each Nos. 7 and 9 (12 inch)

Tight Knitters:

1 pair each Nos. 6 and 8 (12 inch)

Needle sizes in instructions are those for Average Knitters.

Needle size depends upon your tension, which should be 11 stitches to 2 inches in width, measured over plain smooth fabric. Check tension—see page 2.

ABBREVIATIONS: See page 2. M. = Main Colour. C. = Contrasting Colour. "Honeycomb" = drop next st. down 4 rows to main colour, place this st. on right-hand needle, then placing point of right-hand needle under the 4 loops, knit st. on the needle.

Using No. 9 Needles and M., cast on 81 stitches.

1st row.—Inc. once in first st., knit to last st., inc. once in last st.

2nd row.—Purl.

Rep. 1st and 2nd rows five times. (93 sts.)

13th row.—K.2 tog., knit to last 2 sts., K.2 tog.

14th row.—Purl.

Rep. 13th and 14th rows four times, then 13th row once. (81 sts.)

Next row. — P.8, (P.2 tog., P.7) eight times, P.1. (73 sts.)

Using No. 7 Needles, proceed as follows:—

**** 1st row.**—Using C., knit.

2nd row.—Using C., purl.

Rep. 1st and 2nd rows once.

5th row.—Using M., K.2, * "Honeycomb", K.3, rep. from * to last 3 sts., "Honeycomb", K.2.

6th row.—Using M., purl.

Rep. 1st and 2nd rows twice.

11th row.—Using M., K.4, * "Honeycomb", K.3, rep. from * to last 5 sts., "Honeycomb", K.4.

12th row.—Using M., purl. **

Rep. from ** to ** thirteen times, then rows 1 to 10 incl. once.

Using No. 9 Needles, proceed as follows:—

1st row.—Using M., inc. once in first st., K.3, * "Honeycomb", K.3, rep. from * to last 5 sts., "Honeycomb", K.3, inc. once in last st.

2nd row.—P.9, (inc. once in next st., P.7) eight times, P.2. (83 sts.)

3rd row.—Inc. once in first st., knit to last st., inc. once in last st.

4th row.—Purl.

Rep. 3rd and 4th rows four times. (93 sts.)

13th row.—K.2 tog., knit to last 2 sts., K.2 tog.

14th row.—Purl.

Rep. 13th and 14th rows five times. (81 sts.)

Cast off.

[Continued on opposite page

Layette—7543

This Layette comprises Carrying Coat, Matinee Jacket, Frock, Vest, Bonnet, Bootees and Mittens.

PATONS 3-Ply BABY YARNS

● These instructions are written for **PATONS BABY ORLON**. For pure **PATONS 3-Ply BABY WOOL** or **PATONS BABY WOOL WITH BRI-NYLON**, 3-Ply, use 1 size larger needle. For **PATONS FEATHERSOFT BABY NYLON**, use a needle 2 sizes larger than for **PATONS BABY ORLON**.

Knit it with Patons and you'll be proud of it.

The Layette 16 balls
Quantities and measurements for individual garments are given throughout instructions.

NEEDLES—

Patons Beehive Knitting Needles—

Loose Knitters . . . 1 pair each Nos. 12 and 14
Average Knitters . . 1 pair each Nos. 11 and 13
Tight Knitters . . . 1 pair each Nos. 10 and 12

Needle sizes in instructions are those for Average Knitters.

Needle size depends upon your tension, which should be 8 stitches to 1 inch in width, measured over plain smooth fabric. Check tension—see page 2.

Three Stitch Holders.

ABBREVIATIONS: See page 2. "Increase" = pick up loop which lies before next st., place on left-hand needle and knit t.b.l.

THE CARRYING COAT—7543



17 inch under-arm . . . 5 balls
Length from top of shoulder . . 15½ ins.
Length of sleeve seam . . . 5½ ins.
Three Small Buttons.

THE RIGHT FRONT—Using No. 11 Needles, cast on 74 stitches.

**** 1st row.** — K.6, slip 1 purlways, K.8, * y.fwd., slip 2, K.1, p.s.sts.o., K.3 tog., y.fwd., K.4, rep. from * to last 9 sts., y.fwd., slip 2, K.1, p.s.sts.o., K.3 tog., y.fwd., K.3.

2nd row.—K.1, P.3, * y.r.n., P.2, y.r.n., P.6, rep. from * to last 18 sts., y.r.n., P.2, y.r.n., P.15, K.1.

THE BACK COVER LAYETTE . . .

A layette knitted in easy pattern stitch with plain smooth fabric yoke and sleeves to dress, coat and jacket. There are narrow hems around the sleeves and neckbands. One size only.

3rd row.—K.6, slip 1 purlways, K.6, * K.3 tog., y.fwd., K.4, y.fwd., slip 2, K.1, p.s.sts.o., rep. from * to last st., K.1.

4th row.—K.1, P.1, * y.r.n., P.6, y.r.n., P.2, rep. from * to last 20 sts., y.r.n., P.6, y.r.n., P.13, K.1. **

Rep. from ** to ** until work measures 12 ins. from commencement, finishing with a 4th patt. row.

Proceed as follows:—

1st row.—K.6, slip 1 purlways, K.6, (K.2 tog., K.1) four times, (K.2 tog.) seventeen times, (K.2 tog., K.1) five times. (48 sts.)

2nd row.—K.1, purl to last st., K.1.

3rd row.—K.2, cast off 2 sts., K.2, slip 1 purlways, K.2, cast off 2 sts. (for double buttonhole), knit to end of row.

4th row.—Cast off 3 sts., purl to last 7 sts., cast on 2 sts., P.5, cast on 2 sts., P.1, K.1.

Keeping slipped st. correct, dec. once at armhole edge in next row and every alt. row three times. (41 sts.)

Work 13 rows, working a double buttonhole in 4th and 5th rows.

Shape neck as follows:—

Next row.—K.6, slip 1 purlways, K.9, place these 16 sts. on to a stitch holder and leave, knit to end of row.

Dec. once at neck edge in every alt. row until 18 sts. remain.

Work 1 row without shaping.

Shape shoulder as follows:—

1st row.—Work to last 9 sts., turn.

2nd row.—Work to end of row. Cast off.

[Continued on page 12]

This enlarged photo shows the detail of the pattern in this Layette





CARRYING COAT—7543

(Continued from page 10)

THE LEFT FRONT—Using No. 11 Needles, cast on 74 stitches.

**** 1st row.**—K.3, * y.fwd., slip 2, K.1, p.s.sts.o., K.3 tog., y.fwd., K.4, rep. from * to last 11 sts., K.4, slip 1 purlways, K.6.

2nd row.—K.1, P.15, * y.r.n., P.2, y.r.n., P.6, rep. from * to last 6 sts., y.r.n., P.2, y.r.n., P.3, K.1.

3rd row.—K.1, * K.3 tog., y.fwd., K.4, y.fwd., slip 2, K.1, p.s.sts.o., rep. from * to last 13 sts., K.6, slip 1 purlways, K.6.

4th row.—K.1, P.13, * y.r.n., P.6, y.r.n., P.2, rep. from * to last 8 sts., y.r.n., P.6, y.r.n., P.1, K.1. **

Rep. from ** to ** until work measures 12 ins. from commencement, finishing with a 4th patt. row.

Proceed as follows:—

1st row. — (K.1, K.2 tog.) five times, (K.2 tog.) seventeen times, (K.1, K.2 tog.) four times, K.6, slip 1 purlways, K.6. (48 sts.)

2nd row.—K.1, purl to last st., K.1.

3rd row.—Cast off 3 sts., knit to last 7 sts., slip 1 purlways, K.6.

4th row.—As 2nd row.

Complete to correspond with Right Front, working shapings at opposite ends of needle and omitting buttonholes.

THE BACK—Using No. 11 Needles, cast on 132 stitches.

**** 1st row.**—K.3, * y.fwd., slip 2, K.1, p.s.sts.o., K.3 tog., y.fwd., K.4, rep. from * to last 9 sts., y.fwd., slip 2, K.1, p.s.sts.o., K.3 tog., y.fwd., K.3.

2nd row.—K.1, P.3, * y.r.n., P.2, y.r.n., P.6, rep. from * to last 6 sts., y.r.n., P.2, y.r.n., P.3, K.1.

3rd row.—K.1, * K.3 tog., y.fwd., K.4, y.fwd., slip 2, K.1, p.s.sts.o., rep. from * to last st., K.1.

4th row.—K.1, P.1, * y.r.n., P.6, y.r.n., P.2, rep. from * to last 8 sts., y.r.n., P.6, y.r.n., P.1, K.1. **

Rep. from ** to ** until work measures 12 ins. from commencement, finishing with a 4th patt. row.

Proceed as follows:—

1st row. — (K.1, K.2 tog.) five times, (K.2 tog.) fifty-one times, (K.2 tog., K.1) five times. (71 sts.)

2nd row.—K.1, purl to last st., K.1.

Continuing in plain smooth fabric, shape armholes by casting off 3 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 57 sts. remain.

Work 29 rows without shaping.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 sts., turn.

3rd and 4th rows.—Work to last 18 sts., turn.

5th row.—Work to end of row.

Cast off.

THE SLEEVES—Using No. 11 Needles, cast on 37 stitches.

1st row.—Knit.

2nd row.—K.1, purl to last st., K.1.

Rep. 1st and 2nd rows six times.

15th row.—K.6, * "Increase", K.5, rep. from * to last st., K.1. (43 sts.)

16th row.—As 2nd row.

Continue in plain smooth fabric, inc. once at each end of needle in 7th and every following 6th row until there are 55 sts. on needle.

Continue without shaping until side edge measures $6\frac{1}{4}$ ins. ($\frac{3}{4}$ inch allowed for hem) from commencement, finishing with a purl row.

Shape top by casting off 2 sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 39 sts. remain, then in every row until 17 sts. remain.

Cast off.

Work another Sleeve in same manner.

THE NECKBAND — Using a flat seam, sew up shoulder seams. With right side of work facing and using No. 13 Needles, slip 16 sts. from right front stitch holder on to needle, using same needle knit up 55 sts. evenly round neck, then K.9, slip 1 purlways, K.6 across sts. from left front stitch holder. (87 sts.)

1st row.—K.1, purl to last st., K.1.

2nd row.—K.2, cast off 2 sts., K.2, slip 1 purlways, K.2, cast off 2 sts., knit to last 7 sts., slip 1 purlways, K.6.

3rd row.—K.1, purl to last 7 sts., cast on 2 sts., P.5, cast on 2 sts., P.1, K.1.

4th row.—K.6, slip 1 purlways, knit to last 7 sts., slip 1 purlways, K.6.

5th row.—As 1st row.

Rep. 4th and 5th rows twice.

10th row.—Cast off 13 sts., knit to last 13 sts., cast off 13 sts. Break off yarn. With wrong side of work facing, join in yarn to remaining sts. and proceed as follows:—

1st row.—K.1, purl to last st., K.1.

2nd row.—Knit.

Rep. 1st and 2nd rows three times.

Cast off purlways.

TO MAKE UP—DO NOT PRESS ORLON. Using a flat seam, sew up side and sleeve seams. Using a fine back-stitch seam, sew in sleeves, placing seams to side seams. Turn back 6 sts. at front edges on to right side and using a fine back-stitch seam, sew

ends. Turn to wrong side at slipped stitches and slip-stitch in position to form hems. Fold neckband in half on to wrong side and slip-stitch in position. Turn back 7 rows at lower edge of sleeves and slip-stitch in position on wrong side. Oversew lightly round buttonholes. Sew on buttons to correspond with buttonholes.

THE MATINEE JACKET—7543



17 inch under-
arm 3 balls
Length from top of
shoulder . . 11½ ins.
Length of sleeve
seam 5½ ins.
Three Small Buttons.

Work exactly as given for Carrying Coat, making skirt 8 ins. long instead of 12 ins.

THE FROCK—7543



17 inch under-
arm 3 balls
Length from top of
shoulder . . 15 ins.
Length of sleeve
seam 1½ ins.
Four Small Buttons.

THE FRONT—Using No. 11 Needles, cast on 132 stitches.

Work in patt. as given from ** to ** for Back of Carrying Coat until work measures 11½ ins. from commencement, finishing with a 4th patt. row.

Proceed as follows:—

1st row. — (K.1, K.2 tog.) three times, (K.2 tog.) fifty-seven times, (K.2 tog., K.1) three times. (69 sts.)

2nd row.—K.1, purl to last st., K.1. ***

Continuing in plain smooth fabric, shape armholes by casting off 3 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 55 sts. remain.

Work 13 rows without shaping.

Shape neck as follows:—

Next row.—K.22, turn.

Continue on these 22 sts., dec. once at neck edge in every alt. row five times. (17 sts.)

Work 4 rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 8 sts., turn.

2nd row.—Work to end of row.

Cast off.

Slip next 11 sts. on to a stitch holder and leave.

Join in yarn at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to ***.

Continuing in plain smooth fabric, shape armholes by casting off 3 sts. at beg. of next 2 rows.

Divide for back opening as follows:—

1st row.—K.2 tog., K.32, turn.

Continue on these sts.

2nd row.—K.5, purl to last st., K.1.

3rd row.—K.2 tog., knit to end of row.

Rep. 2nd and 3rd rows twice, then 2nd row once. (30 sts.)

9th row.—Knit.

10th row.—As 2nd row.

11th row.—Knit to last 3 sts., y.fwd., K.2 tog. (for buttonhole), K.1.

Rep. 10th row once, then 9th and 10th rows eleven times, working a buttonhole in every following 10th row twice. (3 buttonholes.)

Next row.—Knit.

Shape shoulder as follows:—

1st row.—Work to last 8 sts., turn.

2nd row.—Work to end of row.

3rd row.—K.5, P.8, cast off remaining 17 sts.

Break off yarn and leave remaining sts. on a stitch holder.

Join in yarn at centre back, cast on 5 sts. (for underlap) and work to correspond with other side, working shapings at opposite ends of needle and omitting buttonholes.

THE SLEEVES—Using No. 11 Needles, cast on 43 stitches.

1st row.—Knit.

2nd row.—K.1, purl to last st., K.1.

Rep. 1st and 2nd rows six times.

15th row.—K.4, * "Increase", K.5, rep. from * to last 4 sts., "Increase", K.4. (51 sts.)

16th row.—As 2nd row.

Continue in plain smooth fabric until side edge measures 2½ ins. (¾ inch allowed for hem) from commencement, finishing with a purl row.

[Continued on next page]

THE FROCK (Continued)

Shape top by casting off 2 sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 31 sts. remain, then in every row until 17 sts. remain.

Cast off.

Work another Sleeve in same manner.

THE NECKBAND — Using a flat seam, sew up shoulder seams. With right side of work facing and using No. 13 Needles, slip sts. from left back stitch holder on to needle, using same needle knit up 18 sts. down left front, knit across sts. from front stitch holder, knit up 18 sts. along right front, then knit across sts. from right back stitch holder. (73 sts.)

1st row.—K.5, purl to last 5 sts., K.5.

2nd row.—Knit to last 4 sts., cast off 2 sts. (for buttonhole), K.2.

3rd row.—K.2, cast on 2 sts., K.1, purl to last 5 sts., K.5.

4th row.—Knit.

5th row.—As 1st row.

Rep. 4th and 5th rows five times, 2nd and 3rd rows once, then 4th row once.

Cast off purlways.

TO MAKE UP—DO NOT PRESS ORLON. Using a flat seam, sew up side and sleeve seams. Using a fine back-stitch seam, sew in sleeves, placing seams to side seams. Turn neckband in half on to wrong side and slip-stitch in position. Turn back 7 rows at lower edge of sleeves and slip-stitch in position on wrong side. Oversew round buttonhole in neckband. Slip-stitch underlap in position. Sew on buttons to correspond with buttonholes.

THE VEST—7543



17 inch under-
arm . . . 2 balls

Length from top of
shoulder . . 10½ ins.

Phantom Crochet
Hook, No. 13.

THE FRONT—Using
No. 11 Needles, cast
on 72 stitches.

Work in patt. as given from ** to ** for Back of Carrying Coat until work measures 7½ ins. from commencement, finishing with a 4th patt. row.

Proceed as follows:—

1st row.—K.12, (K.2 tog., K.13) four times. (68 sts.)

2nd row.—K.1, purl to last st., K.1.

3rd row.—Cast off 4 sts., knit to end of row.

4th row.—Cast off 4 sts., purl to last st., K.1.

Continue in plain smooth fabric until work measures 9 ins. from commencement, finishing with a purl row.

Shape neck as follows:—

1st row.—K.16, cast off 28 sts., K.16.

Continue on these sts.

2nd row.—K.1, purl to last st., K.1.

3rd row.—Knit.

Rep. 2nd and 3rd rows until work measures 10½ ins. from commencement, finishing with a purl row.

Cast off.

Join in yarn at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front.

TO MAKE UP—DO NOT PRESS ORLON. Using a flat seam, sew up side and shoulder seams. With right side of work facing, using crochet hook and commencing at left shoulder seam, work 1 round of (1 tr., 1 ch.) evenly round neck edge. With right side of work facing and using crochet hook, work picot edge around armholes as follows:—

1st round.—* Work 1 d.c. into each st., rep. from * to end of round.

2nd round.—* 4 ch., s.c. into 1st ch., 3 d.c., rep. from * to end of round. Fasten off.

Using 3 strands of yarn 80 ins. long, make a twisted cord.

Tie a knot one inch in from each end of cord and cut ends to form tassels. Thread cord through holes at neck.

THE BONNET—7543

Quantity . . . 1 ball

Width all around
face . . . 10 ins.

Length of ribbon.

Using No. 11 Needles,
cast on 92 stitches.

Work in patt. as given from ** to ** for Back of Carrying Coat until work measures 3½ ins. from commencement, finishing with a 4th patt. row.



Shape back as follows:—

1st row.—K.2, (K.2 tog., K.8) nine times.

2nd and alt. rows.—K.1, purl to last st., K.1.

3rd row.—K.2, (K.2 tog., K.7) nine times.

5th row.—K.2, (K.2 tog., K.6) nine times.

Continue dec. in this manner in every alt. row until 11 sts. remain.

Break off yarn, run end through remaining sts., draw up and fasten off securely.

TO MAKE UP—DO NOT PRESS ORLON. Using a flat seam, sew up back seam. Sew ribbon in position.

THE MITTENS—7543



Quantity 1 ball

Using No. 12 Needles,
cast on 37 stitches.

1st row.—Knit.

2nd row.—K.1, purl to last
st., K.1.

Rep. 1st and 2nd rows thirteen times.

29th row.—K.5, * K.2 tog., K.6, rep. from * to end
of row. (33 sts.)

30th row.—K.1, y.r.n., P.2 tog., * P.1, y.r.n., P.2 tog.,
rep. from * to last 3 sts., P.1, y.o.n., K.2 tog.

Rep. 1st and 2nd rows sixteen times.

Shape top as follows:—

1st row.—K.1, * K.2 tog., K.2, rep. from * to end
of row.

2nd and 4th rows.—K.1, purl to last st., K.1.

3rd row.—* K.2 tog., K.1, rep. from * to last st., K.1.

5th row.—K.1, * K.2 tog., rep. from * to end of row.

Break off yarn, run end through remaining sts., draw
up and fasten off securely.

Work another Mitten in same manner.

TO MAKE UP—DO NOT PRESS ORLON. Using a
flat seam, sew up seam. Turn back 14 rows at top
of mittens to wrong side and slip-stitch in position.
Make two cords as given in Make Up for Bootees.
Thread through holes at wrists.

THE BOOTEES—7543



Quantity 1 ball

Length of foot . . 3½ ins.

Using No. 12 Needles,
cast on 47 stitches.

1st row.—(Inc. once in next st., K.21, inc. once in
next st.) twice, K.1.

2nd and alt. rows.—K.1, purl to last st., K.1.

3rd row.—(Inc. once in next st., K.23, inc. once in
next st.) twice, K.1.

5th row.—(Inc. once in next st., K.25, inc. once in
next st.) twice, K.1.

7th row.—(Inc. once in next st., K.27, inc. once in
next st.) twice, K.1. (63 sts.)

9th row.—Knit.

10th row.—As 2nd row.

Rep. 9th and 10th rows three times.

Proceed as follows:—

1st row.—K.37, slip 1 knitways, K.1, p.s.s.o., turn.

2nd row.—P.12, P.2 tog., turn.

3rd row.—K.12, slip 1 knitways, K.1, p.s.s.o., turn.

Rep. 2nd and 3rd rows eight times, then 2nd row
once.

21st row.—Knit to end of row. (43 sts.)

22nd row.—K.1, purl to last st., K.1.

23rd row.—K.1, * K.1, y.fwd., K.2 tog., rep. from *
to end of row.

24th row.—As 22nd row.

25th row.—Knit.

Rep. 24th and 25th rows thirteen times, then 24th
row once.

Cast off loosely.

Work another Bootie in same manner.

TO MAKE UP—DO NOT PRESS ORLON. Using a
flat seam, sew up seams. Turn back 14 rows at
tops of booties to wrong side and slip-stitch in
position. Using 3 strands of yarn, 40 ins. long,
make a twisted cord. Tie a knot one inch in from
each end of cord and cut ends to form tassels.
Thread cord through holes at ankles. Make another
cord in same manner.

Rompers and Jacket—7544

PATONS 3-Ply BABY YARNS

● These instructions are written for **PATONS BABY ORLON**. For pure **PATONS 3-Ply BABY WOOL** or **PATONS BABY WOOL WITH BRI-NYLON, 3-Ply**, use 1 size larger needle. For **PATONS FEATHERSOFT BABY NYLON**, use a needle 2 sizes larger than for **PATONS BABY ORLON**.

Knit it with Patons and you'll be proud of it.

THE JACKET—

Size A—18 inch underarm.

Long Sleeves 3 balls

Short Sleeves 3 balls

Size B—21 inch underarm.

Long Sleeves 4 balls

Short Sleeves 3 balls

THE ROMPERS—

Size A 3 balls

Size B 3 balls

NEEDLES—

Patons Beehive Knitting Needles—

Loose Knitters . . . 1 pair each Nos. 12 and 14

Average Knitters . . 1 pair each Nos. 11 and 13

Tight Knitters . . . 1 pair each Nos. 10 and 12

Needle sizes in instructions are those for Average Knitters.

Needle size depends upon your tension, which should be 8 stitches to 1 inch in width, measured over plain smooth fabric. Check tension—see page 2.

THE JACKET

Length from top of shoulder—

Size A 10 ins. Size B 11½ ins.

Length of sleeve seam—

Size A—Long . . . 6 ins. Short . . . 1½ ins.

Size B—Long . . . 8 ins. Short . . . 2 ins.

THE ROMPERS

Length from waist to crutch—

Size A 9 ins. Size B 9½ ins.

Eight Small Buttons for Jacket.

Two Medium Buttons for Rompers.

Length of ½ inch Elastic for Waist of Rompers.

Length of ¼ inch Elastic for Legs of Rompers.

Two Stitch Holders for Rompers.

ABBREVIATIONS: See page 2.

Instructions are for smaller size A. Larger size B is shown thus [B—...]. Where one set of figures is given, this applies to both sizes.



This dashing romper suit is knitted in double moss stitch, with long or short sleeves. The ribbed band trim on the front of the rompers extends into shoulder straps. Two sizes.

THE JACKET.

THE LEFT FRONT—Using No. 13 Needles, cast on 57 [B—65] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last 5 sts., K.5.

2nd row.—K.6, * K.1, P.1, rep. from * to last st., K.1. Rep. 1st and 2nd rows three times.

Using No. 11 Needles, proceed as follows:—

** 1st row.—K.2, P.1, * K.1, P.1, rep. from * to last 6 sts., K.6.

2nd row.—K.6, purl to last st., K.1.

3rd row.—K.1, * P.1, K.1, rep. from * to last 6 sts., K.6.

4th row.—K.6, purl to last st., K.1. **

These 4 rows form the patt.

Work 68 [B—74] rows in patt.

Keeping continuity of patt., shape armhole by casting off 2 sts. at beg. of next row, then dec. once at armhole edge in every alt. row until 50 [B—56] sts. remain.

Work 14 rows in patt. without shaping.

Shape neck as follows:—

Next row.—Cast off 31 [B—35] sts., purl to last st., K.1. (19 [B—21] sts.)

Work 13 [B—15] rows in patt.

Shape shoulder as follows:—

1st row.—Purl to last 9 [B—10] sts., turn.

2nd row.—Patt. to end of row. Cast off.

THE RIGHT FRONT—Using No. 13 Needles, cast on 57 [B—65] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row. Rep. 1st and 2nd rows once.

5th row.—K.2, cast off 2 sts., rib 29 [B—rib 33], cast off 2 sts. (for double buttonholes), rib 22 [B—rib 26].

6th row.—Rib 22 [B—rib 26], cast on 2 sts., rib 29 [B—rib 33], cast on 2 sts., rib 2.

Rep. 1st and 2nd rows once



Using No. 11 Needles, proceed as follows:—

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, purl to last st., K.1.

3rd row.—K.1, * P.1, K.1, rep. from * to end of row.

4th row.—K.1, purl to last st., K.1.

These 4 rows form the patt.

Continue in patt., working double buttonholes (as before) in every following 31st and 32nd [B—33rd and 34th] rows from previous buttonholes twice.

Work 11 [B—9] rows in patt.

Keeping continuity of patt., shape armhole by casting off 2 sts. at beg. of next row, then dec. once at armhole edge in next and every alt. row until 50 [B—56] sts. remain.

Work 7 rows in patt. without shaping.

Proceed as follows:—

1st row.—K.2, (P.1, K.1) fourteen [B—sixteen] times, P.1, patt. to end of row.

2nd row.—K.1, P.18 [B—P.20], rib to end of row.

3rd row.—Rib 2, cast off 2 sts., rib 27 [B—rib 31], patt. 2, cast off 2 sts., patt. 15 [B—patt. 17].

4th row.—K.1, P.14 [B—P.16], cast on 2 sts., P.2, rib 27 [B—rib 31], cast on 2 sts., rib 2.

Rep. 1st and 2nd rows twice.

9th row.—Cast off 31 [B—35] sts. in rib, patt. to end of row. (19 [B—21] sts.)

Work 13 [B—15] rows in patt.

Shape shoulder as follows:—

1st row.—Patt. to last 9 [B—10] sts., turn.

2nd row.—Purl to end of row.

Cast off.

THE BACK — Using No. 13 Needles, cast on 77 [B—89] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

[Continued on next page]

2nd row.—K.1, * P.1, K.1, rep. from * to end of row. Rep. 1st and 2nd rows three times.

Using No. 11 Needles, proceed as follows:—

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, purl to last st., K.1.

3rd row.—K.1, * P.1, K.1, rep. from * to end of row.

4th row.—K.1, purl to last st., K.1.

These 4 rows form the patt.

Work 68 [B—74] rows in patt.

Keeping continuity of patt., shape armholes by casting off 2 sts. at beg. of next 2 rows. Dec. once at each end of needle in next and every alt. row until 63 [B—77] sts. remain.

Work 29 [B—31] rows in patt. without shaping.

Shape shoulders as follows:—

1st and 2nd rows.—Patt. to last 9 [B—10] sts., turn.

3rd and 4th rows.—Patt. to last 19 [B—21] sts., turn.

5th row.—Patt. to end of row. Cast off.

THE LONG SLEEVES—Using No. 13 Needles, cast on 41 [B—43] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows twice, then 1st row once.

8th row. — Rib 2, inc. once in next st., (rib 11 [B—rib 12], inc. once in next st.) twice, rib 11, inc. once in next st., rib 2. (45 [B—47] sts.)

Using No. 11 Needles, proceed as follows:—

1st row.—* K.1, P.1, rep. from * to last st., K.1.

2nd row.—K.1, purl to last st., K.1.

3rd row.—* P.1, K.1, rep. from * to last st., P.1.

4th row.—K.1, purl to last st., K.1.

These 4 rows form the patt.

Keeping continuity of patt., inc. once at each end of needle in next and every following 6th [B—8th] row until there are 59 [B—65] sts. on needle.

Continue without shaping until side edge measures 6 [B—8] ins. from commencement, finishing with a purl row.

** Shape top by casting off 2 sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 47 sts. remain, then in every row until 17 sts. remain. Cast off. **

Work another Sleeve in same manner.

THE SHORT SLEEVES—Using No. 13 Needles, cast on 47 [B—55] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows twice, then 1st row once.

8th row.—K.1 [B—rib 5], * inc. once in next st., rib 3 [B—rib 4], rep. from * to last 2 [B—5] sts., inc. once in next st., K.1 [B—rib 4]. (59 [B—65] sts.)

Using No. 11 Needles, proceed as follows:—

1st row.—* K.1, P.1, rep. from * to last st., K.1.

2nd row.—K.1, purl to last st., K.1.

3rd row.—* P.1, K.1, rep. from * to last st., P.1.

4th row.—K.1, purl to last st., K.1.

These 4 rows form the patt.

Continue in patt. until work measures $1\frac{1}{2}$ [B—2] ins. from commencement, finishing with a purl row.

Work as given from ** to ** for Long Sleeves.

Work another Sleeve in same manner.

THE SHORT FRONT BAND—Using No. 13 Needles, cast on 9 stitches.

1st row.—K.2, (P.1, K.1) three times, K.1.

2nd row.—(K.1, P.1) four times, K.1.

Rep. 1st and 2nd rows once.

** **5th row.**—Rib 2, cast off 2 sts., rib 5.

6th row.—Rib 5, cast on 2 sts., rib 2.

Work 30 [B—34] rows in rib. **

Rep. from ** to ** twice, then 5th and 6th rows once. (4 buttonholes.) ***

Work 4 rows in rib.

Cast off in rib.

THE LONG FRONT BAND—Work as given for Short Front Band to ***.

Work 68 [B—78] rows in rib.

Cast off in rib.

TO MAKE UP—DO NOT PRESS ORLON. Using a flat seam, sew up side, shoulder and sleeve seams. Using a fine back-stitch seam, sew in sleeves, placing seams to side seams. Place short front band in position on top of right front, edge of band in line with front edge and matching buttonholes, then slip-stitch all round. Slip-stitch long front band in position in same manner along right front, matching buttonholes and carry extra length of long band across back of neck and down left front to cast-off stitches at neckline. Oversew lightly round buttonholes. Sew on buttons to correspond with buttonholes.

THE ROMPERS.

THE FRONT—Using No. 11 Needles, cast on 25 [B—29] stitches.

1st row.—K.1, * P.1, K.1, rep. from * to end of row.

2nd row.—K.1, purl to last st., K.1.

3rd row.—* P.1, K.1, rep. from * to last st., P.1.

4th row.—K.1, purl to last st., K.1.

Rep. 1st and 2nd rows once.

7th and 8th rows.—Patt. to end of row, turn, cast on 29 [B—33] sts. (83 [B—95] sts.)

9th row.—Inc. once in each of first 23 [B—27] sts., patt. 37 [B—patt. 41], inc. once in each of last 23 [B—27] sts. (129 [B—149] sts.)

10th row.—K.1, purl to last st., K.1.

11th row.—K.46 [B—K.54], patt. 37 [B—patt. 41], K.46 [B—K.54].

Rep. 10th and 11th rows until work measures $8\frac{1}{2}$ [B—9] ins. from commencement, finishing with a purl row.

Next row.—(K.2 tog.) twenty-three [B—twenty-seven] times, patt. 37 [B—patt. 41], (K.2 tog.) twenty-three [B—twenty-seven] times. (83 [B—95] sts.)

Next row.—Slip first 23 [B—27] sts. on to a stitch holder and leave, P.37 [B—P.41], turn, slip remaining 23 [B—27] sts. on to a stitch holder and leave.

Continue in patt. on these 37 [B—41] sts. until work measures $2\frac{1}{2}$ [B—3] ins. from where sts. were left on stitch holders, finishing with a purl row.

Next row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

Next row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. last 2 rows three times. Cast off in rib.

With wrong side of work facing and using No. 13 Needles, join in yarn at inside edge to sts. on left stitch holder and proceed as follows:—

1st row.—K.1, purl to last st., K.1.

2nd row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

3rd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 2nd and 3rd rows seven times.

Cast off in rib.

With right side of work facing and using No. 13 Needles, join in yarn at inside edge to sts. on right stitch holder and proceed as follows:—

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows seven times.

Cast off in rib.

THE BACK — Using No. 11 Needles, cast on 25 [B—29] stitches.

1st row.—Knit.

2nd row.—K.1, purl to last st., K.1.

Rep. 1st and 2nd rows twice.

7th and 8th rows.—Work to end of row, turn, cast on 29 [B—33] sts. (83 [B—95] sts.)

9th row.—Inc. once in each of first 29 [B—33] sts., K.25 [B—K.29], inc. once in each of last 29 [B—33] sts. (141 [B—161] sts.)

10th row.—K.1, purl to last st., K.1.

Continue in plain smooth fabric until work measures $8\frac{1}{2}$ [B—9] ins. from commencement, finishing with a purl row.

Next row.—(K.2 tog.) twenty-four [B—twenty-eight] times, (K.2, K.2 tog.) five times, K.7 [B—K.11], (K.2 tog., K.2) four times, (K.2 tog.) twenty-five [B—twenty-nine] times. (83 [B—95] sts.)

Using No. 13 Needles, proceed as follows:—

1st row.—K.1, purl to last st., K.1.

2nd row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

3rd row.—K.1, * P.1, K.1, rep. from * to end of row.

Rep. 2nd and 3rd rows seven times.

Cast off in rib.

THE LEFT STRAP—Using No. 13 Needles, cast on 9 stitches.

1st row.—K.2, (P.1, K.1) three times, K.1.

2nd row.—(K.1, P.1) four times, K.1.

Rep. 1st and 2nd rows until strap measures 23 [B—24 $\frac{1}{2}$] ins. from commencement, finishing with a 2nd row. **

Next row.—Rib 4, cast off 2 sts. (for buttonhole), rib 3.

Next row.—Rib 3, cast on 2 sts., rib 4.

Work 4 rows in rib.

Cast off in rib.

THE RIGHT STRAP—Work as given for Left Strap to **.

Next row.—Rib 3, cast off 2 sts. (for buttonhole), rib 4.

Next row.—Rib 4, cast on 2 sts., rib 3.

Work 4 rows in rib.

Cast off in rib.

THE LEG CASINGS—Using a flat seam, sew up crotch seam.

With right side of work facing, using No. 13 Needles and commencing at side edge, knit up 87 [B—95] sts. evenly round leg.

1st row.—K.1, * P.1, K.1, rep. from * to end of row.

2nd row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows five times, then 1st row once.

Cast off in rib.

Work other Leg in same manner.

TO MAKE UP—DO NOT PRESS ORLON. Using a flat seam, sew up side seams. Fold ribbing in half at legs and waist on to wrong side and slip-stitch in position along front panel to end of bib. Sew thread elastic. Thread $\frac{1}{2}$ inch elastic through casting at waist, catching ends to centre front panel. Place left front strap in position on top of patt. panel, side edge in line with side edge of panel and slip-stitch in position along front panel to end of bib. Sew right front strap in same manner. Sew buttons in position at back to correspond with buttonholes when straps are crossed. Thread $\frac{1}{4}$ inch elastic through castings at legs, then catch openings.



Wholly Set Up and Printed in Australia
Published with All Rights Reserved by

COATS PATONS (AUSTRALIA) LIMITED
REGISTERED OFFICE: FERN TREE GULLY ROAD, MT. WAVERLEY, VIC.

Trade Marks Registered in Australia

BABY
BUSINESS

